

LEWIS[®]
BINS+

PRODUCT CATALOG



LEWISBins+® combines proven products, manufacturing expertise and application insight to help companies add efficiency to their operation. LEWISBins+ is a part of ORBIS Corporation, a wholly owned subsidiary of Menasha Corporation. Founded in 1849, we have been pioneers in the material handling industry; introducing the first reusable plastic container in North America (under the LEWISystems brand). Our aggressive support and strong values combine to provide our customers with a great experience.

REPRESENTED BY INDUSTRY LEADERS

LEWISBins+ collaborates with leading material handling dealers and distributors across North America. With tremendous industry knowledge and application expertise, these representatives are dedicated to finding the best material handling solution for their customers. LEWISBins+ distributors are supported by our experienced and committed customer service team.

PROVEN PRODUCT SOLUTIONS

With more than 170 years of manufacturing experience, we offer a variety of containers, totes, bins and metal systems for work-in-process, storage and distribution applications.

- Part Bins
- Divider Boxes
- Stack-N-Nest Containers (Polylewton® brand)
- Distribution Containers (FliPak® brand)
- Shelf Bins
- Fiberglass Containers (Plexton® brand)
- Metal Storage Systems

LEWISBINS+ ADVANTAGES

- Broad product line
- Manufacturing excellence
- Strong loyalties
- Rapid “ship-from-stock” program
- Industry and application knowledge
- Packaging heritage and integrity
- Technology, material and design expertise

MARKETING SUPPORT

Need images or website copy? Call our LEWISBins+ marketing team. We work hard to make your life simple.

LEVERAGING TECHNOLOGY TO ADD EFFICIENCY

We now offer valued dealers and distributors our online resource for important order information at <https://access.lewisbins.com/>. A click of the button will show order status and shipment detail, right down to the PRO number. If going online is an issue, no problem! We can automatically email the information—minutes after it leaves our plant. The redesigned LEWISBins+ website, www.lewisbins.com, offers the ability to search for products, review dimensions, register to become a distributor and more—all with the click of a button!



©2019 ORBIS Corporation. All rights reserved. All content and images are copyright protected and are property of ORBIS Corporation. FliPak®, LEWISBINS®, LEWISBINS+®, Plastibox®, Plexton®, Polylewton® and Stack-N-Nest® are registered trademarks owned by ORBIS Corporation. ORBIS Corporation is not responsible for typographical errors. Printed in the U.S.A.



PART BINS

- Shelf Bins1-2
- Hanging & Stacking Part Bins3-4
- Plastibox® Part Bins5
- Unit Dose Bins5
- Heavy Duty Hopper Bins6

CONTAINERS & TOTES

- Attached Lid Containers7-8
- Polylewton® Containers9-10
- Polylewton® Dollies and Covers9-10
- Ventilated Containers10
- Divider Boxes and Dividers11-12
- Divider Box — Covers13-14
- Divider Box — Dollies13-14
- Divider Box — Accessories13-14
- Plexton® Containers15-16
- Polylewton® Stackable and Nestable Containers15-16
- Covers and Dollies17
- Plexton® Trays and Hoppers17-18
- Plexton® Nest Only/Stack Only Containers17-18

METAL STORAGE SYSTEMS

- Shelf Systems19-20
- Wall Mounted Systems21
- Bench Assemblies22
- Rail Floor Stands23
- Louvered Panel Floor Stands24
- Metal Cabinets25-26
- Bin Carts and Cabinets27
- Plexton® Racks28

ENVIRONMENTAL PRODUCTS

- Carts29
- Recycling Bins30

ESD-SAFE PRODUCTS

- ESD-Safe Material Information31-32
- Trays33
- Shelf Bins33
- Plastibox® Part Bins34
- Divider Boxes35
- Metal Storage Systems37-38

ACCESSORIES AND OPTIONS39

PRODUCT INDEX40

TABLE OF CONTENTS

STANDARD MATERIALS AND SHIP-FROM-STOCK PROGRAM

Polyethylene Plastic (PE) is well suited for typical manufacturing environments. Depending on the individual HDPE selected, products manufactured in this material can remain stable at temperatures in the typical working range of -50°F to 230°F. For short term exposures, like washing, temperatures should not exceed 248°F. While PE is resistant to many chemicals, an optional Environmental Stress Crack Resistant (ESCR) polyethylene is available for needed applications.

Polystyrene Plastic (PS) is known for its rigidity and stiffness. Comparatively, PS is much stiffer than polyethylene and polypropylene, with lower mold shrinkage.

Polypropylene Plastic (PP) material is similar to polyethylene and offers excellent chemical resistance and remains stable in the typical working range of 10°F to 240°F. This material's advantages over PE include greater stiffness and elevated use temperature. Short term exposures should not exceed 275°F. Translucent or opaque options are also available in some product families.

Fiberglass-Reinforced Polyester products produced with this compression-molded, high strength polyester provide dimensional stability, high weight capacity and the ability to withstand extreme temperatures of -60°F to 250°F.

ESD-Safe Materials protect your products from the damaging effects of static electricity. Products that are stocked in ESD-Safe material can be found on pages 31-38. Additional LEWISBins+ products are available on a made-to-order basis. Contact your Sales Representative for more information.

Ship-From-Stock (SFS) Program Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly. Selected products, indicated with an asterisk (*), are manufactured on a made-to-order basis and are subject to minimum order quantities and set-up charges.

SHELF BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Shelf Bin series consists of 4" and 6" tall plastic shelf bins, designed for 12", 18" and 24" depth shelving units. These injection molded bins are designed to replace limited-use corrugated boxes for long term cost savings. LEWISBins+ Shelf Bins are stocked in red, blue, yellow and green. Fully nestable when empty for space savings and fully recyclable at the end of their service life.

LEWISBINS+ Shelf Bins

- Rolled rim design and molded-in rib structure ensures bin integrity
Nestable when empty for storage space savings
- Large undercut label slot for either cardholders or adhesive labels
- Increased material storage and capacity, raised hopper front and tall dividers allow up to 35% more material storage
- Optional length divider locks into bin creating two or three additional storage compartments
- Manufactured in polypropylene


SHELF BIN DIVIDERS


Drive hidden costs out of a variety of industries operations at an affordable cost. LEWISBins+ Shelf Bin Dividers are engineered to provide versatility for your shelf bins. Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost. Shelf bin width dividers, available in black and orange (kanban), increase inventory management efficiency.

LEWISBINS+ Kanban Divider System

Utilize LEWISBins+ Kanban Divider System within your operation in an effort to drive efficiency through Lean and Just-In-Time inventory control principles. The Kanban Divider System was developed to be a low-cost alternative to high-class inventory control systems — every business deserves an opportunity to drive inefficiency and hidden costs out of their operation at an affordable price.

1. Stock Shelf Bin to desired level, using optional kanban width divider to designate the "reserve inventory"
2. Pick from Shelf Bin until you reach the kanban divider
3. Reposition kanban divider to the front of the Shelf Bin to signal inventory levels are low and need replenishment
4. Replenish Shelf Bin and repeat process to enhance picking and inventory control
5. Visit <http://youtu.be/Q5aLvPsFCzk> for more information





LEWISBINS+ Shelf Bin Dividers

- Engineered to provide versatility for your Shelf Bins and width dividers are available in black and orange (kanban)
- “Double winged” design makes width dividers taller, creating more valuable storage space than comparable bins
- Seven width divider positions and up to three length divider positions offer versatility to bin configuration
- Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost
- Manufactured in polystyrene

LEWISBins+ Shelf Bins

Model	Outside Dimensions (in)			Inside Dimensions (in)		Width Divider Model	Length Divider Model*	Length Divider Positions	Bin Weight (lb.)	Bin Carton Quantity
	L	W	H	L	W					
12" Shelf Bins										
SB122-4	11 5/8	2 3/4	4	10 1/4	1 5/8	N/A	N/A	0	0.24	36
SB124-4	11 5/8	4 1/8	4	10 1/4	3 1/8	DVSB4-4	DLSB12-4	1	0.32	24
SB126-4	11 5/8	6 5/8	4	10 1/4	5 5/8	DVSB6-4	DLSB12-4	3	0.40	12
SB128-4	11 5/8	8 3/8	4	10 1/4	7 1/4	DVSB8-4	DLSB12-4	3	0.50	12
SB1211-4	11 5/8	11 1/8	4	10 1/4	10	DVSB11-4	DLSB12-4	3	0.64	12
SB124-6	11 5/8	4 1/8	6	10 1/8	2 3/4	DVSB4-6	DLSB12-6	1	0.48	16
SB126-6	11 5/8	6 5/8	6	10 1/8	5 3/8	DVSB6-6	DLSB12-6	3	0.60	8
SB128-6	11 5/8	8 3/8	6	10 1/8	7 1/8	DVSB8-6	DLSB12-6	3	0.76	8
SB1211-6	11 5/8	11 1/8	6	10 1/8	9 3/4	DVSB11-6	DLSB12-6	3	0.90	8
18" Shelf Bins										
SB184-4	17 7/8	4 1/8	4	16 1/2	3 1/8	DVSB4-4	DLSB18-4	1	0.44	24
SB186-4	17 7/8	6 5/8	4	16 1/2	5 5/8	DVSB6-4	DLSB18-4	3	0.58	12
SB188-4	17 7/8	8 3/8	4	16 1/2	7 1/4	DVSB8-4	DLSB18-4	3	0.72	12
SB1811-4	17 7/8	11 1/8	4	16 1/2	10	DVSB11-4	DLSB18-4	3	0.84	12
SB184-6	17 7/8	4 1/8	6	16 3/8	2 3/4	DVSB4-6	DLSB18-6	1	0.68	16
SB186-6	17 7/8	6 5/8	6	16 3/8	5 3/8	DVSB6-6	DLSB18-6	3	0.88	8
SB188-6	17 7/8	8 3/8	6	16 3/8	7 1/8	DVSB8-6	DLSB18-6	3	1.14	8
SB1811-6	17 7/8	11 1/8	6	16 3/8	9 3/4	DVSB11-6	DLSB18-6	3	1.22	8
24" Shelf Bins										
SB244-4	23 5/8	4 1/8	4	22 1/4	3 1/8	DVSB4-4	DLSB24-4	1	0.64	12
SB246-4	23 5/8	6 5/8	4	22 1/4	5 5/8	DVSB6-4	DLSB24-4	3	0.82	6
SB248-4	23 5/8	8 3/8	4	22 1/4	7	DVSB8-4	DLSB24-4	3	0.92	6
SB2411-4	23 5/8	11 1/8	4	22 1/4	10	DVSB11-4	DLSB24-4	3	1.22	6

Available Stocked Bin Colors: ● Red ● Blue ● Yellow ● Green Available Stocked Divider Color: ● Black ● Orange * Available in black only

PART BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Part Bins are designed to bring value and efficiency. These high-performance polypropylene bins are used for secure storage of parts and products in industrial assembly operations, healthcare, stockroom, warehouse, foodservice and hardware merchandising applications.



PB104-4 with optional divider

PB1416-7 with optional dividers



PB1816-11


PB1808-9



PB1011-5

PB105-5

PB54-3



PB74-3

PB1405-5

PB108-7

PB148-7



PB1808-9

PB1811-10

PB1816-11



ALL SIZES AVAILABLE IN CLEAR POLYPROPYLENE, FOR EASY CONTENT IDENTIFICATION!

These easy-view, stackable bins allow for instant visual inventory. (PB54-3 Stacked shown)

LEWISBINS+ Part Bins are fully compatible with competitive part bins!



PART BINS

- Hopper front with curved design enables convenient part retrieval
- Wide stacking ridge enables stacking to save space
- Optional length dividers are available to keep contents organized
- Dividers also increase versatility by providing an optimized compartment size
- Bins hang securely on rails, louvered panels, storage cabinets, bin carts and wall cabinets (See pg. 19-28 for Metal Storage Systems)
- Large front label slot allows bar code or ID card
- All colors are FDA approved except red and stone
- Manufactured in polypropylene

LEWISBins Part Bins


Model	Outside Dimensions (in)			Inside Dimensions (in)			Weight (lb)	Load Capacity on Rack (lb)*	Carton Quantity	Number of Divider Slots	Divider Model**	Label Area Size
	L	W	H	L	W	H						
PB54-3	5 3/8	4 1/8	3	4 3/4	3 7/16	2 13/16	0.17	15	24	1	DPB5-3	1" x 3"
PB74-3	7 3/8	4 1/8	3	6 3/4	3 7/16	2 13/16	0.24	25	24	1	DPB7-3	1" x 3"
PB104-4	10 7/8	4 1/8	4	10 1/4	3 3/16	3 3/4	0.48	30	12	1	DPB10-4	1 1/4" x 3"
PB105-5	10 7/8	5 1/2	5	10 1/4	4 3/8	4 3/4	0.62	30	12	1	DPB10-5	1 3/4" x 4"
PB108-7	10 3/4	8 1/4	7	10	6 9/16	6 3/4	0.99	40	6	1	DPB10-7	1 3/4" x 4"
PB1011-5	10 7/8	11	5	10 1/4	10	4 3/4	0.99	40	6	3	DPB10-5	1 3/4" x 4"
PB1405-5	14 3/4	5 1/2	5	14 1/8	4 1/8	4 13/16	1.00	40	12	1	DPB14-5	1 3/4" x 4"
PB148-7	14 3/4	8 1/4	7	14	6 9/16	6 3/4	1.45	40	12	1	DPB14-7	1 3/4" x 4"
PB1416-7	14 3/4	16 1/2	7	14	14 3/4	6 3/4	2.40	40	6	3	DPB14-7	1 3/4" x 4"
PB1808-9	18	8 1/4	9	17 1/8	6 1/2	8 3/4	2.10	40	6	1	DPB18-9	1 3/4" x 4"
PB1811-10	18	11	10	17 1/8	9 1/4	9 3/4	2.40	40	4	1	DPB18-10	1 3/4" x 4"
PB1816-11	18	16 1/2	11	17 1/8	14 5/8	10 3/4	3.20	40	3	3	DPB18-10	1 3/4" x 4"

Available Stocked Colors: ● Red ● Blue ● Yellow ● Green ● Stone ○ Clear

* For lifting safety, Occupational Safety and Health Administration (OSHA) recommends manual loads not exceed 40 lbs.

** All Dividers are stocked in Black and packaged in quantities of six (6).

PLASTIC BOX® PART BINS



Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. Choose from 14 LEWISBins+ stackable polypropylene Plastibox® Part Bins designed to function individually or as a system. These high-performance bins are used for secure storage and organization of small parts in industrial assembly operations, healthcare, stockroom, warehouse and hardware merchandising applications.

- 8 sizes available (6 with optional molded-in dividers)
- Label insert area for easy identification
- Bins hang on most louvered panels or rails** (See pg. 19-28 for Metal Storage Systems)
- Smooth inside gravity flow interior optimizes parts accessibility
- "X" designates molded-in dividers, to eliminate part migration
- These products are also stocked in ESD-safe material (See pg. 33)
- Manufactured in polypropylene

Plastibox® Part Bins


Container Model	Outside Dimensions (in)			Inside Dimensions (in)		Hopper Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (in)	
	L	W	H	L	W				W	H
PB10	3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
PB10x (with divider)	3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
PB20	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
PB20x (with divider)	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
PB22	6.6	8.8	2.9	6.0	8.1	1.6	0.4	12	2.5	7.5
PB22x (with divider)	6.6	8.8	2.9	6.0	8.1	1.6	0.5	12	2.5	7.5
PB30	9.5	5.8	5.0	8.4	5.0	2.6	0.6	12	3.0	1.0
PB30x (with divider)	9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0
PB31	9.3	8.8	5.0	8.4	8.0	2.5	0.8	8	3.0	1.0
PB31x (with divider)	9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0
PB40	12.8	8.1	6.0	11.8	7.1	3.1	1.3	12	3.0	1.0
PB41	12.8	11.4	6.0	11.8	10.5	3.1	1.5	12	3.0	1.0
PB41x (with divider)	12.8	11.4	6.0	11.8	10.5	3.1	1.7	12	3.0	1.0
PB50**	18.5	11.8	7.1	17.1	10.8	3.8	2.2	6	3.0	1.0

Available Stocked Color: ● Lt. Blue

Note: Other colors are available on a make-to-order basis.

**Available on a make-to-order basis. Please call for more information.

***PB50 is not designed for use on hanging systems.



UNIT DOSE BINS

Add efficiency to picking applications in a wide range of industries with Unit Dose Bins. Unit Dose Bins are ideal for efficient dispensing and inventory control of strips, orals and injectables. Bins fit on 36" wide shelves, 12" shelf depths.

- Molded-in cardholders for convenient identification of products
- Manufactured in high-impact polystyrene.



Unit Dose Bins

Container Model**	Outside Dimensions (L x W)	Inside Dimensions (L x W)	Overall Length (in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (W x H)
UDB1203-2	11.9 x 2.0	10.7 x 1.8	10.7	2.7	2.8	0.3	50	1.6 x 1.5
UDB1203-3	11.9 x 3.0	10.7 x 2.6	10.7	2.7	2.8	0.3	30	2.8 x 1.5
UDB1203-6	11.8 x 6.0	10.7 x 5.6	10.7	2.7	2.8	0.5	12	2.8 x 1.5


**Available Stocked Color: ● Light Beige

HEAVY DUTY HOPPER BINS

Add efficiency to heavy-duty picking, assembly and sorting applications with Heavy Duty Hoppers. Get high density storage and quick access to your product with Stack and Nest Hoppers. Plexton® Stack-N-Nest hopper-front containers provide the ability to pick and visually inspect the content, yet nest when empty to save valuable space.

HEAVY DUTY PLEXTON® HOPPER BINS

- Large front label area accommodates adhesive labels
- Nest within their own dimensions and provide positive-lock stacking
- Works well with Plexton Container Racks (See pg. 28)
- Designed to work with 18" and 24" shelving (See pg. 19)
- Manufactured in fiberglass reinforced polyester



STACK AND NEST HOPPER BINS

- Stacks securely when full and nests when empty
- NPL215 has swing arm handle for easy handling
- Manufactured in high-density polyethylene



Plexton® Hoppers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Weight (lb)	Carton Quantity
	Top	Bottom	Top	Bottom			
SH1811-7	18.1 x 11.4	13.1 x 9.9	16.0 x 8.0	12.8 x 7.5	7.6	3.8	5
SH2411-8	24.0 x 11.4	19.2 x 9.2	21.5 x 8.8	19.0 x 7.6	7.9	5.1	5
SH2416-8	24.1 x 16.3	19.1 x 14.4	21.8 x 12.9	18.8 x 11.6	8.0	7.0	5

Available Stocked Colors: ● Red ● Green ● Grey

HB2012-9*	20.5 x 12.3	16.5 x 10.6	16.5 x 10.7	16.1 x 10.4	9.3	4.8	N/A
-----------	-------------	-------------	-------------	-------------	-----	-----	-----

* Available on a make-to-order basis. Please call for more information.

Stack and Nest Hopper Bins

NPL 215	14.9 x 11.6	12.9 x 9.3	13.8 x 8.5	10.5 x 7.3	12.5	1.9	6
NPL 252	15.2 x 20.2	13.4 x 18.5	13.6 x 18.0	12.0 x 15.5	12.4	3.4	6

Available Stocked Color: ● Blue

Heavy Duty Shelf Bins

Model	Outside Dimensions L x W (in)	Inside Dimensions L x W (in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area W x H (in)
SH2409-9	23.6 x 8.8	20.8 x 6.5	4.0	9.0	3.0	6	7.8 x 1.5

Available Stocked Color: ● Lt. Blue (FDA)

NBS2415-12 (bail)	23.5 x 15.6	20.1 x 12.6	5.9	12.0	5.7	10	12.5 x 5.5
NO2415-12 (no bail)	23.5 x 15.6	20.1 x 12.6	5.9	12.0	5.0	10	12.5 x 5.5

Available Stocked Color: ● Grey (FDA)

HEAVY DUTY SHELF BINS

- Large hopper front for easy picking
- Large label area for content identification
- Adjustable wire bail on NBS2415-12 allows bin to stack when full and nest when empty
- NO2415-12 (without bail) is a nest-only container and is ideal for picking applications
- Save on storage space by nesting empty NBS2415-12 and NO2415-12 containers
- Manufactured in high-density polyethylene




All specifications are approximate and subject to change without notice.

DISTRIBUTION CONTAINERS

Add distribution efficiency, reduce product damage and maximize storage space. The FliPak® family offers multiple container sizes with attached hinged covers that prevent expensive loss of product. These containers stack when closed or nest when open to provide the most efficient use of available space on the manufacturing floor, in the warehouse, inside a truck trailer or in the back room of a retail outlet.


FLIPAK® CONTAINERS

- 1/4" or 3/8" diameter reinforced security holes are compatible with a variety of security tote closures
- Quick-release label area on attached hinged cover and ends for easy reading and quick label exchange
- Seven FliPak sizes available in Clear: FP03, FP06, FP075, FP143, FP182, FP243 and FP261
- Visible area above nest stops for easy reading of optional sequential number when nested or stacked
- Pebble-grain bottom surface provides excellent conveyor traction
- Heavily reinforced hinge elements reduce breakage and cracking
- Cover recessed within the perimeter of container to protect against cover breakage while conveyed or shipped
- Select containers are available with optional detached covers
- Colors manufactured in high density polyethylene. Clear manufactured in polypropylene



Distribution Containers meet the diverse needs of many types of picking and storage applications in modern distribution systems.





FP03



FP075



NO2420-12 with RCNO2420-1 (cover)

Distribution Containers

	Hinge Style		Outside Dimensions				Inside Dimensions				Total Height	Product Clearance	Container Weight (lb.)	Volume (cu. ft.)	Carton Quantity	Truckload Quantity 53' Trailer Skid Loaded
			Top		Bottom		Top		Bottom							
	Metal	Plastic	L	W	L	W	L	W	L	W						
FliPak Containers																
FP03*	x		11.8	9.8	9.3	7.0	10.1	7.8	8.7	6.4	7.7	6.5	2.0	0.3	Bulk	9,000
FP06	x		15.2	10.9	12.8	7.8	13.8	8.9	12.2	7.3	9.7	8.8	2.9	0.6	Bulk	6,720
FP075	x		19.7	11.8	16.9	9.3	17.7	10.11	6.2	8.6	7.3	6.0	3.4	0.7	Bulk	7,740
FP143	x		21.9	15.2	19.1	13.3	21.1	14.41	8.5	12.8	9.3	8.4	5.0	1.4	Bulk	5,520
FP151**	x		22.3	13.0	19.1	10.9	20.1	11.41	8.9	10.1	12.8	11.75	6.0	1.6	Bulk	4,524
FP182	x	x	21.8	15.2	18.6	12.9	19.8	14.0	18.1	12.3	12.9	11.8	6.5	1.8	Bulk	3,360 (M) / 3,480 (P)
FP243	x	x	26.9	16.9	24.4	14.7	25.2	15.5	23.6	13.9	12.1	11.0	7.8	2.4	Bulk	4,000 (M) / 3,520 (P)
FP261	x		23.9	19.6	21.1	17.1	22.2	18.2	20.6	16.5	12.6	11.5	7.8	2.7	Bulk	3,840
FP403**	x		27.9	20.6	25.8	18.7	26.0	19.0	25.0	18.0	15.6	14.0	12.7	4.0	Bulk	1,469

Available Stocked FliPak Colors: ● Grey (FDA) ● Blue (FDA) ● Red (FDA) ○ Clear (FDA)

*Unavailable in Red
**Unavailable in Clear

RNO2115-12	x		21.4	15.3	18.6	12.6	20.2	14.2	18.4	12.4	12.3	12.0	4.6	2.0	Bulk
NO2420-12	x		23.9	19.6	21.1	17.7	22.2	18.2	20.5	16.5	12.0	11.9	5.2	2.7	Bulk
CNO2115-1 (cover)	x		21.4	15.3	N/A	N/A	N/A	N/A	N/A	N/A	1.3	N/A	1.6	N/A	Bulk
RCNO2420-1 (cover)	x		23.7	19.7	N/A	N/A	N/A	N/A	N/A	N/A	1.1	N/A	2.3	N/A	Bulk

Available Stocked Nest-Only Container Colors: ● Grey (FDA)

All specifications are approximate and subject to change without notice.

POLYLEWTON® STACKABLE AND NESTABLE CONTAINERS

Containers nest when empty and stack when full for space savings and efficiency. Polylewton® containers are ideally designed for use in general manufacturing, food processing and distribution applications.

POLYLEWTON® STACKABLE AND NESTABLE CONTAINERS

- Stack when full (with or without covers) and nest when empty at an alternating 180° position
- Resistant to rust, corrosion and temperatures ranging from 0°F to 120°F
- Easily cleanable and ideal for handling unpackaged product. No sharp edges, burrs or splinters
- Maximum load capacity of 70 lbs. per tote, bottom container supports 300 lbs. stacked
- Textured bottom on selected containers ensures compatibility with conveying equipment
- Compatible with many racking and shelving styles
- A variety of Hole Patterns are available on solid containers for increased ventilation and drainage
- Durable matching covers are available for selected containers to protect product from moisture, impact and contaminants.
- Resistant to damaging effects of oil, most chemicals, solvents, water and steam
- Manufactured in high-density polyethylene

IDENTIFICATION OPTIONS

- Many Polylewton containers and covers are manufactured with Security Holes to accommodate security ties and hang tags
- Available options include Cardholders, Hot Stamps and Molded-In Identification (See pg. 39)

VENTILATED STACK-N-NEST CONTAINERS

- 3 footprints available, including 20" x 13", 20" x 14" and 24" x 16"
- Stacks when full and nests when empty
- Ventilated design for easier cleaning, accurate temperature control and minimized cooling times
- Manufactured in high density polyethylene



SN2117-12 on
DSN2117 Dolly



Snap-On and
Adhesive
Cardholders (pg. 39).



AF2013-6

NPL 654B

*Ventilated Stack-N-Nest Containers are
ideal for part washing applications.*

Add distribution and efficiency with Stack-N-Nest containers, covers and dollies.

Stack-N-Nest® Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Container Height (in)	Product Clearance (in)	Weight (lb)	Volume (cu ft)	Nest Ratio	Security Tie Holes	Container Bottom	Carton Quantity
	Top	Bottom	Top	Bottom								
SOLID WALL CONTAINERS												
SN2012-6	20.1 x 13.0	18.5 x 11.5	18.1 x 12.0	17.3 x 11.3	6.2	6.1	2.1	0.6	2.1:1	Yes	Textured	5
SN2013-12	19.4 x 12.9	17.3 x 10.9	15.8 x 11.8	14.8 x 10.6	12.1	12.0	3.8	1.3	4.0:1	Yes	Textured	5
SN2117-12	21.0 x 17.0	18.8 x 15.0	17.4 x 15.8	16.3 x 14.8	12.0	11.9	5.0	1.8	4.0:1	Yes	Smooth	5
SN2414-8	24.0 x 14.1	21.8 x 11.5	19.5 x 12.3	18.5 x 11.3	7.9	7.8	3.4	1.1	4.0:1	No	Smooth	5
SN2420-13	24.0 x 20.0	21.6 x 17.7	21.5 x 18.8	20.4 x 17.4	13.0	12.9	6.1	2.7	4.0:1	Yes	Textured	5
SN2618-10	26.1 x 18.7	24.0 x 15.9	23.4 x 17.4	22.3 x 15.7	10.5	10.4	5.4	2.1	4.0:1	No	Smooth	5
SN2818-10	28.4 x 18.7	26.0 x 15.9	25.6 x 17.4	24.6 x 15.7	10.5	10.4	5.8	2.3	4.0:1	No	Smooth	5
SN3022-6	29.6 x 22.4	28.3 x 21.0	27.6 x 21.4	26.1 x 20.5	6.1	6.0	4.8	2.1	4.0:1	No	Textured	Bulk
SN3024-15	30.1 x 24.0	27.0 x 21.0	27.6 x 22.5	25.8 x 20.8	15.1	14.9	11.0	4.7	4.5:1	No	Textured	Bulk

Available Stocked Colors: ● Red (FDA) ● Blue (FDA) ● Grey (FDA)

VENTILATED CONTAINERS

AF2013-6	19.7 x 13.1	17.1 x 11.6	17.0 x 11.2	16.6 x 11.2	5.6	5.0	2.1	0.6	2:1	N/A	Smooth	10
NPL 654B	23.9 x 16.0	22.1 x 15.9	19.2 x 13.7	19.2 x 12.6	8.8	8.2	4.8	1.2	3:1	N/A	Textured	5

Available Stocked Color: ● Green (FDA)

HOPPER CONTAINERS

NBS2415-12 (ball)	23.5 x 15.6	N/A	20.1 x 12.6	N/A	12.0	N/A	5.7	N/A	N/A	N/A	Smooth	10
NO2415-12 (no ball)	23.5 x 15.6	N/A	20.1 x 12.6	N/A	12.0	N/A	5.0	N/A	N/A	N/A	Smooth	10

Available Stocked Color: ● Grey (FDA)

Covers

Model	Outside Dimensions (in)			Cover Style	Container Compatibility	Weight (lb.)	Carton Quantity
	L	W	H				
CSN2012-1	20.4	13.3	1.1	Hook	SN2012-6	1.2	5
CSN2013-1	20.6	13.2	1.3	Hook	SN2013-12	1.0	5
CSN2117-1	21.3	17.3	1.8	Hook	SN2117-12	1.4	5
CSN2414-1	24.3	14.3	1.1	Drop	SN2414-8	1.1	5
CSN2420-1	24.3	20.3	1.5	Hook	SN2420-13	2.1	5
CSN2618-1	27.0	19.1	1.3	Drop	SN2618-10	1.9	10

Available Stocked Colors: ● Red (FDA) ● Blue (FDA) ● Grey (FDA)


Dollies

Model	Outside Dimensions (in)			Container Compatibility	Weight (lb.)
	L	W	H		
DSN2117*	19.5	15.1	5.25	SN2117-12	11.2
DSN2414*	21.9	12.0	5.25	SN2414-8	10.7
DSN2420*	22.5	18.3	5.25	SN2420-13	12.3
DSN2618*	24.4	16.5	5.25	SN2618-10	12.3
DSN3022*	28.3	21.3	5.25	SN3022-6	13.9

*Available in grey on a make-to-order basis. Please call for more information.

Stainless Steel Dollies

Model	Outside Dimensions (in)			Container Compatibility	Weight (lb.)
	L	W	H		
DAF2013*	11.9	18.6	6.25	AF2013-6	7.5
DAF2014*	11.8	19.1	6.25	AF2014-11	8.0
DNPL654*	19.9	21.9	6.25	NPL654B	9.5



All specifications are approximate and subject to change without notice.

DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications. Divider Boxes are also stocked in ESD-Safe materials. (See pg. 35-36).

DIVIDER BOXES

- Strong stacking ridge and innovative ribbed walls ensure high performance
- Choose from industry standard container sizes
- Multiple identification options for added flexibility and efficiency
- Load capacity of 40 lbs. per container
- Choose from multiple cover styles for product protection
- Compatible with many kinds of racking, shelving and material handling equipment
- Two snaps included on all containers for use with cardholders (see pg. 14)
- Manufactured in high-density polyethylene

DC1050 on NDC2060



NDC3080



DC1025 with CDC1020 (cover)



NDC2060



NDC3080 with CDC3020 (cover)



DC2025 with CNDC2020 (cover)
(For available covers see pg. 13)

Increase part protection and prevent part migration with Divider Box Containers.

Divider Box Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Product Clearance* (in)	Weight (lb)	Volume (cu ft)	Full Height Short Divider	Full Height Long Divider	Cardholder	Carton Quantity	
	Top	Bottom	Top	Bottom									
1000 Series	DC1025	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	DV0825	DV1025	CH30	24
	DC1035	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.6	0.11	DV0835	DV1035	CH20	16
	DC1050	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.8	0.16	DV0850	DV1050	CH10	16
2000 Series	DC2025	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	0.9	0.16	DV1025	DV1625	CH30	12
	NDC2035	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	DV1035	DV1635	CH20	8
	NDC2050	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	DV1050	DV1650	CH10	8
	NDC2060	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.5	0.43	DV1060	DV1660	CH10	8
	DC2070	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.7	0.51	DV1070	DV1670	CH10	6
NDC2080	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	DV1080	DV1680	CH10	6	
3000 Series	DC3050	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.6	0.79	DV1750	DV2250	CH10	4
	NDC3060	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	2.5	0.97	DV1760	DV2260	CH10	4
	NDC3080	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	3.3	1.32	DV1780	DV2280	CH10	4
	NDC3120	22.4 x 17.4	20.3 x 15.3	20.5 x 15.5	20.1 x 15.1	12.0	11.9	5.4	2.00	DV17120	DV22120	CH10	3

Available Stocked Colors: ● Red (FDA) ● Lt. Blue (FDA) ● Grey (FDA) ● Dark Blue (FDA)

* With Snap-on-Cover.

DIVIDER BOX DIVIDERS

Subdivide LEWISBins+ Divider Boxes to increase part protection and prevent part migration. Vertical Dividers are available to maximize efficiency and flexibility. For easy insertion of dividers, NDC containers feature molded-in "no guess" textured divider grid and numbered divider slots. Multiple-height polyethylene dividers are available for all models, excluding DC1025. Vertical Dividers (below) are available in a variety of heights and are contoured for easy insertion.


Vertical Divider Compatibility Chart

Container Model	Divider Type	Maximum # of Dividers**	Vertical Divider Height								
			1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"
DC1000 Series	DC1025 Short	7	DV0825								
	DC1025 Long	5	DV1025								
	DC1035 Short	7	DV0825	DV0835							
	DC1035 Long	5	DV1025	DV1035							
	DC1050 Short	7	DV0825	DV0835			DV0850				
	DC1050 Long	5	DV1025	DV1035			DV1050				
DC2000 Series	DC2025 Short	11	DV1025								
	DC2025 Long	7	DV1625								
	NDC2035 Short	11	DV1025	DV1035							
		NDC2035 Long	7	DV1625	DV1635						
	NDC2050 Short	11	DV1025	DV1035			DV1050				
		NDC2050 Long	7	DV1625	DV1635			DV1650			
	NDC2060 Short	11	DV1025	DV1035			DV1050	DV1060			
		NDC2060 Long	7	DV1625	DV1635			DV1650	DV1660		
	DC2070 Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
	DC2070 Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
NDC2080 Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080		
	NDC2080 Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680	
DC3000 Series	DC3050 Short	15			DV1735		DV1750				
	DC3050 Long	11			DV2235		DV2250				
	NDC3060 Short	15			DV1735		DV1750	DV1760			
		NDC3060 Long	11			DV2235		DV2250	DV2260		
	NDC3080 Short	15			DV1735		DV1750	DV1760		DV1780	
		NDC3080 Long	11			DV2235		DV2250	DV2260	DV2280	
NDC3120 Short	15			DV1735		DV1750	DV1760		DV1780	DV17120	
	NDC3120 Long	11			DV2235		DV2250	DV2260	DV2280	DV22120	

Available Stocked Color: Grey

Black = Partial Height Dividers Purple = Full Height Dividers

DC1000 Divider Layout



of Divider Slots on Short Side: 5
of Divider Slots on Long Side: 7
Divider cells are 1.25" square.

DC2000 Divider Layout



of Divider Slots on Short Side: 7
of Divider Slots on Long Side: 11
Divider cells are 1.25" square.

DC3000 Divider Layout



of Divider Slots on Short Side: 11
of Divider Slots on Long Side: 15
Divider cells are 1.25" square.

Vertical Divider

Model	Weight (lb)	Dimensions LxWxH (in)	Model (cont'd)	Weight (lb) (cont'd)	Dimensions LxWxH (in)
DV0825	.049	6.9 x 0.1 x 1.9	DV1670	.401	15.3 x 0.1 x 6.4
DV0835	.075	6.9 x 0.1 x 2.9	DV1680	.450	15.3 x 0.1 x 7.4
DV0850	.115	6.9 x 0.1 x 4.4	DV17120	.703	15.8 x 0.1 x 11.3
DV1025	.064	9.6 x 0.1 x 1.9	DV1735	.207	15.6 x 0.1 x 3.5
DV1035	.106	9.6 x 0.1 x 2.9	DV1750	.258	15.6 x 0.1 x 4.3
DV1050	.170	9.6 x 0.1 x 4.4	DV1760	.326	15.6 x 0.1 x 5.3
DV1060	.203	9.6 x 0.1 x 5.4	DV1780	.463	15.6 x 0.1 x 7.3
DV1070	.245	9.6 x 0.1 x 6.4	DV22120	.935	20.6 x 0.1 x 11.3
DV1080	.282	9.6 x 0.1 x 7.4	DV2235	.284	20.6 x 0.1 x 3.5
DV1625	.104	15.3 x 0.1 x 1.9	DV2250	.344	20.6 x 0.1 x 4.3
DV1635	.179	15.3 x 0.1 x 2.9	DV2260	.445	20.6 x 0.1 x 5.3
DV1650	.251	15.3 x 0.1 x 4.4	DV2280	.597	20.6 x 0.1 x 7.3
DV1660	.324	15.3 x 0.1 x 5.4			

** Please order dividers separately.

Available Stocked Colors: Grey

Horizontal Dividers

Model	Fits Divider Box
DH1000*	DC1025, DC1035, DC1050
DH2000	DC2025, NDC2035, NDC2050, NDC2060, DC2070 and NDC2080
DH3000	DC3050, NDC3060, NDC3080, NDC3120

Available Stocked Color: White

* Available on a make-to-order basis. Please call for more information.
** Please order dividers separately.

DIVIDER BOX COVERS

Eliminate dust and dirt during storage with Divider Box Covers. Choose from versatile Divider Box Covers to protect product from impact, dust and chemicals throughout your facility. All offer contoured surfaces for an easy fit.

Covers

Fits Container	Cover Style	Cover Model	Weight (lb)
1000 Series	Heavy Duty Solid (Clear)	CDC1020	0.3
	Heavy Duty Solid	CDC1040	0.3
2000 Series	Heavy Duty Solid (Clear)	CNDC2020	0.6
	Heavy Duty Solid	CDC2040	0.6
3000 Series	Heavy Duty Snap-On (Clear)	CDC3040-MECLM	1.2
	Heavy Duty Solid	CDC3040	1.4

Available Stocked Color: ● Grey FDA-Approved ○ Clear

DIVIDER BOX ACCESSORIES

Add efficiency with dollies, cardholders, security tags and identification options. Add mobility and ease of handling with the Divider Box Dolly, compatible with the DC3000 series containers. Add efficiency with a wide range of Divider Box Accessories, including cardholders, security ties, hot stamping and molded-in logo capabilities. (See pg. 39).

ACCESSORIES

- Snap-On and Adhesive Cardholders are available in a variety of sizes and styles, and materials (Including ESD-Safe)
- Standard NDC model containers have holes to accommodate Security Ties and Hang Tags
- Containers may be customized with Hot Stamps or Molded-In Identification

DOLLY

- Heavy-duty dolly has a 840 lb. weight capacity
- Dolly equipped with two swivel and two fixed 3" casters
- This product is also stocked in ESD-Safe material (See pg. 35-36)

Snap-On Cardholders

Model	Size L x W (in)	# of Snaps	Container Compatibility
CH10	7.75 x 4.25	2	DC1050, NDC2050, NDC2060, DC2070, NDC2080, DC3050, NDC3060, NDC3080, NDC3120
CH20	6.50 x 2.25	2	DC1035, NDC2035
CH30	6.50 x 1.81	2	DC1025, DC2025

Dolly

Model	Inside Dimensions (in)	Container Compatibility	Weight (lb)
DDC3000	21.19 x 16.25	3000 Series	12.6 lbs

Grey Enamel



HEAVY-DUTY SOLID COVERS

Covers contain stacking ridges for secure double stacking of products.



NDC2035 with CDC2040



NDC2035 with security tie and CNDC2020 Cover

NDC2060 with standard pre-installed set of snaps

CDC3040 (Grey) with
CDC3040-MECLM




HEAVY-DUTY CLEAR COVERS

Durable, clear covers with molded-in tabs on one side that hook under container lip to guide the cover into place. Ensures easy visual inspection of contents.



DDC3000 (Dolly)



DC1050



NDC2050 (Blue) with
CH20 Snap-On Cardholder
on NDC2060 (Grey) with
CH10 Adhesive Cardholder



NDC3060 on DDC3000 (Dolly)

PLEXTON® CONTAINERS

Add heavy duty performance to a variety of extreme applications. Plexton containers, hoppers and trays can be manufactured in materials for fire retardance and food grade. Trays are available in ESD-safe material. These fiberglass-reinforced containers feature Stack-N-Nest® design, consistent tare weight, smooth outside surface and radius angles for easy and safe handling. All Plexton containers, hoppers and trays can be manufactured in materials for flame retardance, food grade, or ESD protection. Plexton containers are your ideal solution for heavy-duty storage, work-in-progress and distribution applications.

HR1615 rack with
SH1811-7



CSN1610
(Covers available in
various sizes)



Casters can be added to underside of cover to create a custom-fit dolly (DOC) or directly to the container for greater mobility (TSN).

Plexton Stack-N-Nest Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Weight (lb)	Cover Model*	Dolly Model*	Carton Quantity
	Top	Bottom	Top	Bottom					
SN1610-5	17.9 x 10.8	16.6 x 9.6	15.9 x 10.1	14.3 x 9.3	5.0	3.0	CSN1610-1	DOC1610-1	10
SN1812-6	19.8 x 12.8	18.3 x 11.4	18.1 x 11.9	16.3 x 11.3	6.0	3.8	CSN1812-1	DOC1812-1	10
SN1812-8	20.6 x 13.0	18.8 x 11.1	18.0 x 12.3	16.0 x 11.0	8.0	5.2	CSN2013-1	DOC2013-1	5
SN2010-7	24.1 x 11.4	21.9 x 9.9	20.0 x 10.7	19.4 x 9.8	6.9	4.6	CSN2010-1	DOC2010-1	5
SN2010-9	24.1 x 11.4	21.8 x 9.9	20.0 x 10.6	19.1 x 9.7	9.0	5.2	CSN2010-1	DOC2010-1	5
SN2214-5	24.3 x 14.8	22.3 x 12.9	21.7 x 14.0	19.4 x 12.8	5.1	4.9	CSN2214-1	DOC2214-1	4
SN2214-8	24.3 x 14.8	22.3 x 12.9	21.5 x 13.9	19.4 x 12.6	8.0	6.6	CSN2214-1	DOC2214-1	4
SN2217-6	25.3 x 18.1	23.3 x 16.1	21.4 x 18.1	21.0 x 15.9	6.1	6.5	CSN2217-1	DOC2217-1	5
SN2217-10	25.3 x 18.1	23.3 x 16.1	22.8 x 17.3	21.0 x 15.9	10.1	8.9	CSN2217-1	DOC2217-1	2
SN2419-14	27.5 x 19.9	24.6 x 17.1	23.1 x 18.9	20.9 x 17.1	14.1	12.3	CSN2419-1	DOC2419-1	2
SN2713-7	29.6 x 13.8	28.1 x 12.3	26.7 x 12.9	25.0 x 12.0	7.0	6.3	N/A	N/A	5
SN2716-11	30.6 x 16.9	27.9 x 14.1	26.3 x 15.9	24.9 x 13.9	11.1	11.1	CSN2716-1	DOC2716-1	11
SN3023-8	34.1 x 24.0	31.8 x 21.8	30.1 x 21.6	28.6 x 20.6	8.1	13.3	N/A	N/A	3
SN3919-14	42.5 x 20.1	39.8 x 17.3	38.1 x 19.0	35.3 x 17.1	14.1	20.4	CSN3919-1	DOC3919-1	N/A

Available Stocked Colors: ● Red ● Green ● Lt. Yellow ● Grey ● Lt. Blue

*CSNs and DOCs only available in grey.



PLEXTON® CHARACTERISTICS:

- High impact, compressive, flexural and flexible strength
- Excellent chemical resistance
- High volume and surface resistivity
- High dielectric strength
- High arc and arc-track resistance
- Excellent microwave characteristics


PLEXTON® CONTAINERS WITHSTAND:

- Extreme cold temperatures to -60° F
- Extreme heat up to 250° F (continuous) and 300° F (intermittent)
- Fully autoclavable
- Extreme weight up to 500 lbs. per container, bottom container in stack supports up to 3,000 lbs
- Resistant to most oils, moisture, chemicals and solvents, not affected by radiation
- Available with or without a wire-reinforced rim



PLEXTON® TRAYS & HOPPERS

Boost picking and assembly efficiency with heavy-duty hoppers and trays. Get high density storage and quick access to your product with Plexton Hoppers & Trays. These containers give you all of the strength and tough characteristics of our Plexton Stack-N-Nest containers with the ability to pick and visually inspect the contents. Assembly Trays are ideal for many applications, such as industrial, confection, electronic, distribution and work-in-process.



Plexton Assembly Trays

Model	Outside Dimensions (in)			Weight (lb)	Carton Quantity
	L	W	H		
ASSEMBLY TRAY*					
TR1812-1	18.0	12.0	1.0	1.8	10
TR1814-1	18.0	14.0	1.0	1.8	10
TR2015-1	20.4	15.1	1.0	1.9	N/A
TR2618-1	25.8	17.8	1.1	3.0	10

Available Stocked Colors: ● Grey

CNO TRAYS

CNO65-1	6.3	4.9	0.3	0.19	-
CNO96-1	9.8	6.2	0.4	0.23	-
CNO118-1	11.9	8.8	0.4	0.60	-
CNO129-1	12.4	9.8	0.4	0.62	-

Available Stocked Colors: ● Grey ● Lt. Blue

CSN TRAYS

CSN1610-1	17.9	10.7	1.0	2.0	-
CSN1812-1	19.8	12.6	1.1	1.8	-
CSN2013-1	20.6	13.0	1.1	2.3	-
CSN2010-1	24.0	11.4	1.2	2.2	-
CSN2214-1	24.1	14.7	1.2	2.9	-
CSN2217-1	25.3	18.1	1.3	3.2	-
CSN2419-1	27.4	19.9	1.3	4.7	-
CSN2716-1	30.6	16.8	1.3	3.8	-
CSN3919-1	42.4	20.0	1.3	8.3	-

Available Stocked Colors: ● Grey

*Plexton Assembly Trays are also stocked in ESD-Safe material. (See pg. 36).

NEST-ONLY & STACK-ONLY CONTAINERS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. Plexton® Stack-Only and Nest-Only Containers are ideal for storing, moving and shipping small parts, as well as for autoclaves, healthcare and x-ray/security applications. Thin-wall design and construction gives maximum strength while remaining lightweight.

Plexton Nest-Only and Stack-Only Containers

Model	Outside Top Dimensions (in)		Inside Top Dimensions (in)		Height (in)	Weight (lb)	Compatible Cover	Carton Quantity
	L	W	L	W				
Nest-Only Containers								
NO65-2	6.3	4.9	5.9	4.6	2.1	0.3	CNO65-1	48
NO96-2	9.8	6.2	9.3	5.6	2.1	0.7	CNO96-1	48
NO96-4	9.8	6.2	9.3	5.6	4.5	1.2	CNO96-1	16
NO118-4	11.9	8.8	11.3	8.3	4.1	1.6	CNO118-1	10
NO129-2	12.4	9.8	11.9	9.1	2.1	1.5	CNO129-1	22
NO1411-4*	14.6	11.6	13.9	10.9	4.1	1.6	N/A	10

Available Stocked Colors: ● Red ● Green ● Lt. Yellow ● Grey ● Lt. Blue

* NO1411-4 is stocked only in Red, Green and Grey.

Stack-Only Containers

SO2420-3**	24.0	20.0	-	-	3.0	5.5	N/A	N/A
------------	------	------	---	---	-----	-----	-----	-----

** Available on a make-to-order basis. Please call for more information.



STACK-ONLY SO2420-3

Cubes a 40 x 48 pallet and is the perfect solution for many confection, industrial, electronic, distribution, storage and work-in-process applications.



SH2416-8



SH2411-8

Plexton Hopper Front Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Height (in)	Weight (lb)	Carton Quantity
	Top	Bottom	Top	Bottom			
SH1811-7	18.1 x 11.4	13.1 x 9.9	16.0 x 8.0	12.8 x 7.5	7.6	3.8	5
SH2411-8	24.0 x 11.4	19.2 x 9.2	21.5 x 8.8	19.0 x 7.6	7.9	5.1	5
SH2416-8	24.1 x 16.3	19.1 x 14.4	21.8 x 12.9	18.8 x 11.6	8.0	7.0	5
HB2012-9*	20.5 x 12.3	16.5 x 10.6	16.5 x 10.7	16.1 x 10.4	9.3	4.8	N/A

Available Stocked Colors: ● Red ● Green ● Grey

* Available on a make-to-order basis. Please call for more information.



HB2012-9
(Green)

SH1811-7

HEAVY DUTY PLEXTON® HOPPER BINS

- Front label area accommodates adhesive labels
- Nest within their own dimensions and provide positive-lock stacking
- Works well with Plexton Container Racks (See pg. 28)
- Designed to work with 18" and 24" shelving (See pg. 19)
- Manufactured in fiberglass-reinforced polyester

Covers for Nest-Only Containers

Model	Dimensions (in)			Weight (lb)	Fits Container Model
	L	W	H		
CNO65-1	6.3	4.9	0.3	0.19	NO65-2
CNO96-1	9.8	6.2	0.4	0.23	NO96-2, NO96-4
CNO118-1	11.9	8.8	0.4	0.60	NO118-4
CNO129-1	12.4	9.8	0.4	0.62	NO129-2

Available Stocked Colors: ● Grey ● Lt. Blue

NO1411-4



NO118-4



NO65-2

NEST-ONLY & STACK ONLY CONTAINERS

- Accommodate extreme temperature ranges, -60°F to 250°F or 300°F intermittently
- High weight capacity
- Optional covers can also be used as trays (See pg. 17)
- Nest-only containers nest efficiently when empty and stack with covers
- Manufactured in fiberglass-reinforced polyester

METAL SHELVING UNITS

Add instant organization to your workspace with adjustable Shelf Systems that hold all types of bins. LEWISBins+ Shelf Systems improve organization & efficiency. These highly versatile, fully adjustable Shelf Systems offer a variety of shelf configurations, with 12", 18" and 24" shelf depths to accommodate a wide variety of bin sizes and styles. (Bins sold separately).

6 AND 7-SHELF UNITS

- Accommodates Heavy-Duty Shelf Bins (pg.6) and larger Part Bins (pg.3-4) to provide high density storage for heavy industrial needs
- Shelf depths of 18" and 24"
- Holds up to 24 bins



M2436-6 with SH2409-9 (6 Shelf Unit)



M2436-6 with NO2415-12 (6 Shelf Unit)



M1836-8 with PB148-7 (8 Shelf Unit)

8 AND 11-SHELF UNITS

- Accommodates Part Bins (pg. 3-4) to provide storage, picking and merchandising efficiency
- Shelf depth of 18"
- Holds up to 60 bins



M1836-8 with PB1416-7 (8 Shelf Unit)

Shelf Units											
Model	Shelf Dimensions (in)			Weight* (lb)	Model	Total Bin Capacity	Quantity per Shelf**	Bin Dimensions (in)			Bin Page No.
	W	D	H					L	W	H	
6-Shelf Units Note: Assembly required.											
<i>Recommended 6 Shelf Bin Configurations (sold separately)</i>											
M1836-6	36.0	18.0	73.0	88.0	PB1811-10	15	3	18	11	10	4
					PB1816-11	10	2	18	16.5	11	4
M2436-6	36.0	24.0	73.0	88.0	SH2409-9	20	4	23.6	8.8	9	6
					NO2415-12	10	2	23.5	15.6	12	6
7-Shelf Units Note: Assembly required.											
<i>Recommended 7 Shelf Bin Configurations (sold separately)</i>											
M1836-7	36.0	18.0	73.0	92.0	PB1808-9	24	4	18	8.25	9	4
					PB1811-10	18	3	18	16.25	11	4
8-Shelf Units Note: Assembly required.											
<i>Recommended 7 Shelf Bin Configurations (sold separately)</i>											
M1836-8	36.0	18.0	73.0	92.0	PB1416-7	14	2	14.75	16.5	7	4
					PB148-7	28	4	14.75	8.25	7	4
11-Shelf Units Note: Assembly required.											
<i>Recommended 7 Shelf Bin Configurations (sold separately)</i>											
M1836-11	36.0	18.0	73.0	92.0	PB1405-5	60	6	14.75	5.5	5	4

* Weight, excluding bins.
** Excluding top shelf



M2436-13
with SB246-4
(13 Shelf Unit)



13-SHELF UNITS

- Shelf depth of 12", 18" or 24"
- 20-gauge construction allows maximum weight capacity
- 12 x 36 shelf capacity: 350 lbs. 18 x 36 shelf capacity: 410 lbs. 24 x 36 shelf capacity: 450 lbs.
- Holds up to 96 bins (varies by model)
- Customized units with multiple bin configurations available



M1236-13
(13 Shelf Unit)

When combined with sturdy LEWISBins+ Part Bins or Shelf Bins, an efficient storage system is created that provides convenient part retrieval and easy visual inventory.

Shelf Units

Model	Shelf Dimensions (in)			Weight* (lb)	Model	Total Bin Capacity	Quantity per Shelf**	Bin Dimensions (in)			Bin Page No.
	W	D	H					L	W	H	
13-Shelf Units Note: Assembly required. Recommended 13 Shelf Bin Configurations (sold separately)											
M1236-13	36.0	12.0	73.0	85.0	SB124-4	96	8	11.6	4.1	4	1
					SB126-4	60	5	11.6	6.6	4	1
					SB128-4	48	4	11.6	8.4	4	1
M1836-13	36.0	18.0	73.0	136.0	SB184-4	96	8	17.9	4.1	4	1
					SB186-4	60	5	17.9	6.6	4	1
M2436-13	36.0	24.0	73.0	166.0	SB246-4	60	5	23.6	6.6	4	1

The Shelf Systems ship unassembled, with assembly instructions. All units are easy to assemble, with nut and bolt construction.

* Weight, excluding bins.

** Excluding top shelf.

WALL MOUNTED SYSTEMS

Optimize workrooms and cells with easy-to-install Wall Mounted Systems that securely hold part bins. Add workstation efficiency with LEWISBins+ Wall Mounted Louvered Panel and Steel Rail Systems. Both can be securely fastened to workstation or shop walls. Bins can be ordered separately.




18" x 36" LP1836-CST shown with PB74-3 & PB1011-5



12" x 36" LP1236-CST shown with PB54-3 & PB74-3



RA248-AST, shown with PB54-3 and PB74-3.



Four (4) LP1236-CST Panels

WALL MOUNTED SYSTEMS

- Louvered Panels and Steel Rails mount securely to walls, single panels can be combined to create wall-mounted systems for any workspace
- Sturdy 16-gauge steel
- Grey baked enamel finish stands up to heavy-duty industrial uses
- Wall Mounted Louvered Panels hold up to 160 lbs. and steel Rails hold up to 225 lbs
- These products are also stocked in ESD-Safe material (See pg. 37)



LP1818-CST shown with PB74-3

Wall Mounted Systems

Model	Dimensions (in)		Weight* (lb)	***Quantity of each LEWISBins Part Bin to fill Louvered Panel or Rail					Load Capacity (lb)**
	H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB1011-5	
Louvered Panels Note: Please order bins separately.									
LP1818-CST	18.0	18.0	5.4	16	16	9	4	-	160
LP1236-CST	12.0	36.0	7.1	24	24	12	4	6	160
LP1836-CST	18.0	36.0	10.8	32	32	18	8	9	160
Steel Rail Note: Please order bins separately.									
RA248-AST	3.0	48.0	3.1	11	11	8	5	4	225


* Weight, excluding bins.

** Load Capacity, including bin weights.

*** Quantity indicated is for the total of like-sized bins to fill an entire system. Mixed bin configurations can be figured separately.

BENCH ASSEMBLIES

Organize your workbench with LEWISBins+ easy-to-assemble Bench Assemblies. Durable Louvered Panels are accompanied by 16-gauge steel legs that can be added with fasteners. Systems with bins are available or bins can be ordered separately. Louvered Panel Bench Assemblies hold 100-130 lbs.



BENCH ASSEMBLIES

- Formed from 16-gauge steel for strength and stability
- Includes panel, legs and fasteners
- Finished in grey baked enamel
- Also stocked in ESD-Safe material (See pg. 37)



LPA1818-CST
Shown with PB105-5

Bench Assemblies

Model	Dimensions (in)		Weight* (lb)	***Quantity of each LEWISBins Part Bin to fill Bench Assembly					Load Capacity (lb)**
	H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB1011-5	
Louvered Panels Note: Please order bins separately. Assembly required.									
LPA1818-CST	18.0	18.0	5.9	16	16	9	4	-	130
LPA1236-CST	12.0	36.0	8.4	24	24	12	4	6	100
LPA1836-CST	18.0	36.0	13.2	32	32	18	8	9	130

* Weight, excluding bins. ** Load Capacity, including bin weights.

*** Quantity indicated is for the total of like-sized bins to fill an entire system. Not for mixed bin configurations.

RAIL FLOOR STANDS

Save space on the shop floor with Rail Floor Stands. Part Bins hang securely on rugged rails. Organize your workstation floor with LEWISBins+ Rail Floor Stands. Stands are available in single or double sided styles. Systems with bins are available or bins can be ordered separately. Single sided Steel Rail Floor Stands hold up to 600 lbs. and double sided Floor Stands hold up to 1,200 lbs. Optional Mobile Kit adds instant mobility.

RAIL FLOOR STANDS

- Single or double-sided stands meet a wide variety of work-in-process and storage needs
- For greater versatility and convenience, add a mobile kit to the double-sided floor stands
- Finished in grey baked enamel
- Manufactured from durable 16-gauge steel
- Products are also stocked in ESD-Safe material (See pg. 38 for details)



Rail Floor Stands (for single-size of Bin)

Model	Description	Dimensions (in)		Weight* (lb)	Quantity of single sized bins to fill entire system						Total Bin Quantity	Load Capacity (lb)**		
		H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5		PB1416-7	no mobile kit	w/ mobile kit
Floor Stands Note: Please order bins separately. Assembly required.														
FS112-BHST	1-sided, 12 rails	54.0	36.0	56.0	96	96	-	24	24	-	12	Varies based on bin selected	600	-
FS116-BHST	1-sided, 16 rails	54.0	36.0	59.0	-	-	48	-	-	24	-		600	-
FS212-BHST	2-sided, 12 rails	54.0	36.0	74.0	192	192	-	48	48	-	24		1,200	500
FS216-BHST	2-sided, 16 rails	54.0	36.0	78.0	-	-	96	-	-	48	-		1,200	500

Rail Floor Stands (to hold multi-sized Bins)

Model	Description	Dimensions (in)		Weight* (lb)	Quantity of multi sized bins to fill entire system						Total Number of Bins	Load Capacity (lb)**		
		H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5		PB1416-7	no mobile kit	w/ mobile kit
Floor Stands Note: Assembly required.														
FS114-BHST	1-sided, 14 rails	54.0	36.0	58.0	8	8	12	4	-	6	2	40	600	-
FS214-BHST	2-sided, 14 rails	54.0	36.0	76.0	16	16	24	8	-	12	4	80	1,200	500

Mobile Kit	Description	Weight (lb)	Compatible Floor Stands (fits 2-sided models)
MK4000-B	4" casters, handles, braces	10.0	Fits models FS212, FS216 and FS214

* Weight, excluding bins.

** Load Capacity, including bin weights.

LOUVERED PANEL FLOOR STANDS

Add shop floor efficiency with Louvered Panel Floor Stands. Part Bins hang securely on panels. Boost workstation efficiency with LEWISBins+ Louvered Panel Floor Stands. Stands are available in single or double sided styles. Bins can be ordered separately, bin configurations noted. Single sided Floor Stands hold up to 800 lbs. and double sided Floor Stands hold up to 1,600 lbs. Optional Mobile Kits add instant mobility.



LPFS2-BST shown with PB54-3, PB74-3, PB105-5, PB108-7, PB1011-5, PB1416-7, and MK4000-B (mobile kit)



LPFS1-BST shown with PB54-3, PB74-3, PB105-5, PB108-7, PB1011-5 and PB1416-7



LPFS2-BST shown with PB74-3

LOUVERED PANEL FLOOR STANDS

- Formed from 16-gauge steel for strength and stability
- Includes panel, legs and fasteners
- Finished in grey baked enamel
- These products are also stocked in ESD-Safe material (See pg. 38 for details)

Louvered Panel Floor Stands

Model	Description	Dimensions (in)		Weight* (lb)	Quantity of single sized bins to fill entire system							Total Bin Quantity	Load Capacity (lb)**		
		H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5	PB1416-7		No Mobile Kit	W/ Mobile Kit	
Louvered Panel Floor Stands Note: Please order bins separately. Assembly required.													Varies based on bin selected		
LPFS1-BST	1-sided, 288 slots	54.0	36.0	55.0	96	96	48	24	24	24	12	800		-	
LPFS2-BST	2-sided, 576 slots	54.0	36.0	83.0	192	192	96	48	48	48	24	1,600		500	
Mobile Kit															
MK4000-B	4" casters, handles, braces			10.0	Fits model LPFS2										

Louvered Panel Floor Stands

Model	Description	Dimensions (in)		Weight* (lb)	Quantity of multi sized bins to fill entire system							Total Bin Quantity	Load Capacity (lb)**		
		H	L		PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5	PB1416-7		No Mobile Kit	W/ Mobile Kit	
Louvered Panel Floor Stands Note: Bins included. Assembly required.													Varies based on bin selected		
LPFS1-BST	1-sided, 288 slots	54.0	36.0	55.0	8	8	12	4	-	6	2	800		-	
LPFS2-BST	2-sided, 576 slots	54.0	36.0	83.0	16	16	24	8	-	12	4	1,600		500	
Mobile Kit															
MK4000-B	4" casters, handles, braces			10.0	Fits model LPFS2										

* Weight, excluding bins.

** Load Capacity, including bin weights.

All specifications are approximate and subject to change without notice.


METAL STORAGE CABINETS

Add security and organization to your workspace with Metal Storage Cabinets, available in many styles. LEWISBins+ rugged, welded-steel all-purpose Storage Cabinets keep valuable parts secure and organized. They are available with multiple sizes and multiple colors of LEWISBins, or with a combination of shelves and LEWISBins. All cabinets accommodate a variety of LEWISBins Part Bins. (See chart for details).

CAB48-4



CAB60



METAL STORAGE AND COMBINATION CABINETS

- 12 gauge construction
- All welded construction with wrap around body design
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part selection and re-stocking.
- Storage Cabinets available with multiple sized bins for organizing large and small parts with ease.
- Combination cabinets come with (4) adjustable shelves made from 14-gauge steel
- Anchoring to floor to ensure stability is recommended

Metal Storage, Combination and Clearview Cabinets

Model	Dimensions (in)			Weight* (lb)	LEWISBin Configuration**				Total Number of Bins
	W	D	H		PB74-3	PB105-5	PB148-7	PB1416-7	
36" Storage Cabinets					Order any ONE color per size bin: Blue, Red or Yellow				
CAB36	36.0	24.0	78.0	596.0	94	-	32	-	126
CAB36-4 (w/ 4 shelves)	36.0	24.0	78.0	533.0	94	-	-	-	94
48" Storage Cabinet									
CAB48	48.0	24.0	78.0	732.0	144	-	40	-	184
CAB48-4 (w/ 4 shelves)	48.0	24.0	78.0	651.0	144	-	-	-	144
60" Storage Cabinet									
CAB60	60.0	24.0	78.0	712.0	160	30	18	9	217

● YPB - Yellow Bins

CAB48-Slim

**Add security to high-value items
with lockable doors!**



CAB36-Drawer

HEAVY-DUTY DRAWER CABINETS

- Heavy duty, 12 gauge construction
- All welded construction with wrap around body design
- One adjustable 14-gauge shelf
- Four drawers with 400# weight capacity.
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part
- Anchoring to floor to ensure stability is recommended

SLIM LINE CABINETS

- Cabinet is only 10" deep for ease of storage placement
- Heavy duty, 12 gauge construction
- All welded construction with wrap around body design
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part selection and re-stocking.

**Combine Part Bins and Storage Cabinets for the
ultimate in workspace efficiency.**

Slim Line and Heavy Duty Cabinets

Model	Dimensions (in)			Weight* b)	LEWISBin Configuration**		Total Number of Bins
	W	D	H		PB74-3	PB148-7	
Heavy Duty Drawer Cabinets							
CAB36-Drawer	36.0	24.0	78.0	739.0	94	16	110
CAB48-Drawer	48.0	24.0	78.0	780.0	144	20	164
Slim Line Cabinet							
CAB48-Slim	48.0	10.0	72.0	430.0	187	-	187

● YPB - Yellow Bins

All specifications are approximate and subject to change without notice.

BIN CARTS AND CABINETS

LEWISBins+ Bin Carts and cabinets designed for rugged factory use, yet attractive for use in an office. Transport equipment and small parts from one workstation to another. LEWISBins+ Wall-Mounted Bin Cabinets, available in 3 sizes, easily mount to work-station walls. The efficient cabinet depth and heights optimize wall space. All are lockable for secure storage of high-value items.

WCAB2630



Bin Carts and Cabinets (Bins Sold Separately)

Model	Dimensions (in)			Weight* (lb)	Configuration	Description	Bins Specified	Bin Size (in)		
	W	D	H					W	D	H
Bin Carts										
MCPB108-7-16	36.0	24.0	36.0	93.0	16-Bins	4 Rail Open Cart	PB108-7	10.8	8.3	7.0
MCPB105-5-48	36.0	24.0	36.0	93.0	48-Bins	4 Rail Open Cart	PB105-5	10.9	5.5	5.0
MCPB54-3-112	36.0	18.0	36.0	95.0	112-Bins	7 Rail Open Cart	PB54-3	5.4	4.1	3.0
MC3624-12	36.0	24.0	36.0	182.0	12-Bins	4 Drawer, 2 Shelf Enclosed Cart	PB54-3	5.4	4.1	3.0
Bin Cabinets										
WCAB2630	26.0	9.0	30.0	51.0	30-Bins	30-Bins with one fixed shelf	PB74-3	7.4	4.1	3.0
WCAB3627	36.0	14.0	27.0	88.0	24-Bins	Lockable Cabinet	PB105-5	10.9	5.5	5.0
WCAB4827	48.0	14.0	27.0	96.0	32-Bins	Lockable Cabinet	PB105-5	10.9	5.5	5.0

* Weight, excluding bins.

BIN CARTS

- Secure contents in lockable drawers of MC3624-12
- 5" polyurethane casters (2 swivel & 2 rigid)
- 16-gauge construction top tray, 2 1/2" deep
- 1000 lb. weight capacity
- MCPB models offer double sided design for easy access in any work space and lipped tray to hold items in place during movement.
- The MC3624-12 offers four locked drawers and enclosed area for 12 bins

BIN CABINET WITH SHELF (WCAB2630)

- 20-gauge, all-welded construction
- Fixed shelf with louvers on bottom half and under shelf cylinder lock w/ 2 keys

BIN CABINET (WCAB4827)

- 18-gauge, all-welded construction
- 2-point locking rods, keyed handle with 2 keys

MC3624-12



WCAB4827

METAL HOPPER RACKS

Maximize space utilization and provide easy access to containers and parts. Combine LEWISBins+ Metal Hopper Racks with a wide range of containers to add efficiency to workshops, assembly cells and storage areas. Each rack is two columns wide and add-on units are available to expand width. Double-depth racks allow part access from both sides.

Container Racks										
Rack Model	Outside Dimensions (in)			Number of Openings	Bin Quantity Per Rack	Weight (lb)	Add-On Unit			
	L	W	H				Rack Model	Width	Qty Per Rack	Weight (lb)
PB50 Racks: Hopper Front Bin (See pg. 5)										
HR1313	19.3	28.0	27.0	3-high	6	42.0	HRA1313	14.4	3	22.0
HR1613	19.3	28.0	51.0	6-high	12	73.0	HRA1613	14.4	6	38.0
HR1813	19.3	28.0	67.0	8-high	16	94.0	HRA1813	14.4	8	47.0
SH1811-7 Racks: Hopper Front Plexton Bin (See pg. 17)										
HR1315	19.3	27.0	30.0	3-high	6	47.0	HRA1315	13.9	3	25.0
HR1615	19.3	27.0	57.0	6-high	12	83.0	HRA1615	13.9	6	44.0
HR1815	19.3	27.0	75.0	8-high	16	106.0	HRA1815	13.9	8	54.0
SH2411-8 Racks: Hopper Front Plexton Bin (See pg. 17)										
HR1311	19.3	27.0	30.0	3-high	6	44.0	HRA1311*	13.9	3	23.0
HR1611	19.3	27.0	57.0	6-high	12	76.0	HRA1611	13.9	6	40.0
HR1811	19.3	27.0	75.0	8-high	16	98.0	HRA1811	13.9	8	49.0
SH2416-8 Racks: Hopper Front Plexton Bin (See pg. 17)										
HR1316	19.3	36.8	30.0	3-high	6	44.0	HRA1316	18.8	3	23.0
HR1616	19.3	36.8	57.0	6-high	12	76.0	HRA1616	18.8	6	40.0
HR1816	19.3	36.8	75.0	8-high	16	98.0	HRA1816	18.8	8	49.0
SN1812-8 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR1312	19.3	30.5	30.0	3-high	6	44.0	HRA1312	15.6	3	23.0
HR1612	19.3	30.5	57.0	6-high	12	76.0	HRA1612	15.6	6	40.0
HR1812	19.3	30.5	75.0	8-high	16	98.0	HRA1812	15.6	8	49.0
SN2010-7 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR1310	19.3	27.0	27.0	3-high	6	42.0	HRA1310	13.9	3	22.0
HR1610	19.3	27.0	51.0	6-high	12	73.0	HRA1610	13.9	6	38.0
HR1810	19.3	27.0	67.0	8-high	16	94.0	HRA1810	13.9	8	49.0
SN2214-8 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR1314	19.3	34.0	30.0	3-high	6	44.0	HRA1314	17.4	3	23.0
HR1614	19.3	34.0	57.0	6-high	12	76.0	HRA1614	17.4	6	40.0
HR1814	19.3	34.0	75.0	8-high	16	98.0	HRA1814	17.4	8	49.0
PB50 Racks: Hopper Front Bin (See pg. 5)										
HR2313*	38.4	28.0	27.0	3-high	12	71.0	HRA2313*	14.4	6	36.0
HR2613*	38.4	28.0	51.0	6-high	24	128.0	HRA2613*	14.4	12	65.0
HR2813*	38.4	28.0	67.0	8-high	32	164.0	HRA2813*	14.4	16	83.0
SH1811-7 Racks: Hopper Front Plexton Bin (See pg. 17)										
HR2315*	38.4	27.0	30.0	3-high	12	80.0	HRA2315*	13.9	6	41.0
HR2615*	38.4	27.0	57.0	6-high	24	145.0	HRA2615*	13.9	12	74.0
HR2815*	38.4	27.0	75.0	8-high	32	187.0	HRA2815*	13.9	16	95.0
SH2411-8 Racks: Hopper Front Plexton Bin (See p. 17)										
HR2311*	38.4	27.0	30.0	3-high	12	73.0	HRA2311*	13.9	6	37.0
HR2611*	38.4	27.0	57.0	6-high	24	135.0	HRA2611*	13.9	12	69.0
HR2811*	38.4	27.0	75.0	8-high	32	169.0	HRA2811*	13.9	16	86.0
H2416-8 Racks: Hopper Front Plexton Bin (See pg. 17)										
HR2316*	38.4	36.8	30.0	3-high	12	74.0	HRA2316*	18.8	6	38.0
HR2616*	38.4	36.8	57.0	6-high	24	132.0	HRA2616*	18.8	12	67.0
HR2816*	38.4	36.8	75.0	8-high	32	169.0	HRA2816*	18.8	16	86.0
SN1812-8 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR2312*	38.4	30.5	30.0	3-high	12	73.0	HRA2312*	15.6	6	37.0
HR2612*	38.4	30.5	57.0	6-high	24	133.0	HRA2612*	15.6	12	68.0
HR2812*	38.4	30.5	75.0	8-high	32	169.0	HRA2812*	15.6	16	86.0
SN2010-7 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR2310*	38.4	27.0	27.0	3-high	12	71.0	HRA2310*	13.9	6	36.0
HR2610*	38.4	27.0	51.0	6-high	24	128.0	HRA2610*	13.9	12	65.0
HR2810*	38.4	27.0	67.0	8-high	32	164.0	HRA2810*	13.9	16	83.0
SN2214-8 Racks: Plexton Stack & Nest Container (See pg. 16)										
HR2314*	38.4	34.0	30.0	3-high	12	74.0	HRA2314*	17.4	6	38.0
HR2614*	38.4	34.0	57.0	6-high	24	133.0	HRA2614*	17.4	12	68.0
HR2814*	38.4	34.0	75.0	8-high	32	169.0	HRA2814*	17.4	16	86.0

* Available on a make-to-order basis. Please call for more information.



DOUBLE-DEPTH RACKS
HR2815 with SH1811-7 container



ADD-ON UNITS AVAILABLE
HRA1812 Add-On Unit



SINGLE-DEPTH RACKS
HR1812 with SN1812-8 container

RECYCLING PRODUCTS

NPL 285 - 21 Gallon



High quality bins and carts for office and plant recycling efficiency.

Do your part in preserving the environment! Choose from the LEWISBins+ brand of recycling products for home and office recycling applications. Curbside recycling containers are molded, one-piece designs that are lightweight and durable. Designed for easy handling and cleaning, all products are fully recyclable at end of service life.

WHEELED CARTS

- 360° double rim, snap tight lid keeps pests out
- Ergonomic side handles for easy curb transportation
- Manufactured with recycled material
- Cornerless, smooth interior walls for ease of cleaning
- Two sizes available: 12 and 21 gallon

STACK AND NEST RECYCLING CONTAINERS

- Swing arm handle (NPL 215) and full handles (NPL 252) for ease of carrying
- Stacks for source separation of recyclables and nests when empty
- Includes Mobius Recycling loop

RECYCLING CONTAINERS

- Pocket handles for easy lifting
- Drain hole bottoms prevent liquid build-up (Excluding NPL 215)
- Covers available on select models

ACCESSORIES

- Bin Dolly allows for easy curbside transportation



NPL 280 A - 12 Gallon



Recycling has never been easier with LEWISBins+ recycling products!

Bin Dolly shown with NPL 263 and NPL 270 Sold Separately

NPL 252-Stacked



NPL 215-Stacked



NPL 265 with NPL 266 Cover



NPL 255



Recycling Products

Container Model	Description	Outside Dimensions (in)			Volume (Gallon)	Weight (lb)	Compatible Cover or Container
		L	W	H			
CARTS							
NPL 280A	Wheeled Cart	17.7	15.5	26.9	12.0	7.2	Attached
NPL 285	Wheeled Cart	17.8	22.0	32.5	21.0	15.4	Attached

Available Stocked Color: ● Green

HOPPER FRONT BINS

NPL 215	Stack and Carry	14.9	11.6	12.5	6.0	1.9	N/A
NPL 252	Stack and Nest	15.2	20.2	12.4	12.0	3.4	N/A

BINS

NPL 258	Recycling Bin	21.0	15.2	13.0	14.0	3.0	N/A
NPL 263	Recycling Bin	19.0	16.0	15.5	16.0	4.2	NPL 254 (cover)
NPL 265*	Recycling Bin	25.8	16.2	14.5	18.0	5.0	NPL 266 (cover)
NPL 270	Recycling Bin	19.0	16.0	21.0	22.0	5.2	NPL 254 (cover)

BIN COVERS

NPL 254	Bin Cover	19.0	16.0	4.0	N/A	1.2	NPL 263, NPL 270
NPL 266*	Bin Cover	27.0	16.3	4.0	N/A	2.0	NPL 265

Available Stocked Color: ● Blue

ACCESSORIES

Bin Dolly	Recycle Transport	18.5	16.7	51.5	N/A	16.0	N/A
-----------	-------------------	------	------	------	-----	------	-----

Available Stocked Color: ● Green

*Carton quantities for NPL265 is 3 per carton, NPL266 is 20 per carton. All other items are bulk packed.

ESD-SAFE PRODUCTS

Organize work areas to efficiently store components, assemblies and circuit boards.

ESD-Safe Products are ideal for electronics, telecommunications and computers. LEWISBins+ ESD materials conform to ANSI/ESD S20.20* 2007 requirements for ESD packaging. Contact your LEWISBins+ sales representative for more details on other dissipative materials that are available.


ESD-SAFE PRODUCTS

- Materials conform to the static decay requirement of FTM-101B, Method 4046.1 dissipating a 5,000 volt charge to 0 when grounded in less than two seconds
- Standards require conductive materials surface resistance to be $< 1.0 \times 10^4$ ohms and dissipative materials to be $> 1.0 \times 10^4$ ohms to $< 1.0 \times 10^{11}$ ohms when tested per EOS/ESD S11.11

ESD-Safe Materials

Property	Test Method Units	Conductive Material	Dissipative Materials	
		XL	LS	SD SMC
Surface Resistivity	ASTM D257 (ohms/square)	$< 1.0 \times 10^5$	$\geq 1.0 \times 10^9$ $< 1.0 \times 10^{12}$	$\geq 1.0 \times 10^5$ $\leq 5.0 \times 10^9$
Surface Resistance	EOS/ESD S11.11 (ohms)	$< 1.0 \times 10^4$	$\geq 1.0 \times 10^8$ $< 1.0 \times 10^{11}$	$\geq 1.0 \times 10^4$ $\leq 5.0 \times 10^8$
Static Decay	FTM-101B Method 4046.1 (seconds)	< 2 seconds	< 2 seconds	< 2 seconds
Temperature Range	°F	40°F to 225°F	40°F to 225°F	-60°F to 250°F

Note: At upper end of temperature range intermittent use is recommended.



CONDUCTIVE MATERIAL - XL MATERIAL is a thermoplastic polypropylene material based upon carbon black that has a surface resistance of less than 1.0×10^4 ohms or surface resistivity of $< 1.0 \times 10^5$ ohms/square. XL material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. The electrical properties of this material are permanent and unaffected by washing.

Protect valuable contents from static electricity.



DC3060-XL on ESD-Safe
DDC3000-CON Dolly

DISSIPATIVE MATERIAL - LS MATERIAL is a polypropylene material that is on the upper end of the dissipative range. The material has a surface resistance greater than or equal to 1.0×10^8 ohms, but less than 1.0×10^{11} ohms or surface resistivity greater than or equal to 1.0×10^9 ohms/square, but less than 1.0×10^{12} ohms/square. LS material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. Electrical properties are affected by humidity. This material is available on a made-to-order basis only.

DISSIPATIVE MATERIAL - SD SMC MATERIAL is a thermoset polyester based material that is on the lower end of the dissipative range. The material has a surface resistance greater than or equal to 1.0×10^4 , but less than or equal to 5.0×10^8 ohms/square and a surface resistivity greater than or equal to 1.0×10^5 ohms/square, but less than or equal to 5.0×10^9 ohms/square. This material has a useful temperature range of -60°F to 250°F, is autoclavable and does not melt at high temperatures making it ideal for handling hot parts. The electrical properties of this material are permanent and unaffected by washing.

ESD-SAFE PART BINS AND TRAYS


Protect parts from the damaging effects of static electricity. ESD-Safe Part Bins are permanently molded in conductive material for use in cleanrooms and workstations. Combine Part Bins with ESD-Safe Metal Storage Systems to meet your work-in-process requirements. See pg. 37-38 for more information on ESD-Safe Metal Storage Systems. Note: PB50 is not designed for use on hanging systems.

ESD-SAFE PART BINS

- 8 sizes available
- Label insert area for easy identification
- Smooth gravity flow interior optimizes parts accessibility
- Bins hang on most louvered panels or rails
- Solid covers are available to further protect parts by creating a Faraday Cage



TR2618-1SD



TR1814-1SD



ESD-SAFE TRAYS

- Resistant to abrasion and chemicals
- Easily cleans in steam or water with a temperature range of -60° to 250°F
- Trays are permanently dissipative
- Ideal for many industrial, electronic, distribution, storage and work-in-process applications

ESD-Safe Assembly Trays

Model	Outside Dimensions (in)			Weight (lb.)	Carton Quantity
	L	W	H		
TR1812-1SD	18.0	12.0	1.0	1.8	10
TR1814-1SD	18.0	14.0	1.0	1.8	10
TR2015-1SD	20.4	15.1	1.0	2.0	N/A
TR2618-1SD	25.8	17.9	1.1	3.0	10

Available Stocked Material: ● SD SMC

ESD-Safe Shelf Bins

Model	Outside Dimensions (in)			Inside Dimensions (in)		Weight (lb.)	Carton Quantity
	L	W	H	L	W		
12" Shelf Bins							
SB1204-4	11 5/8	4 1/8	4	10 1/4	3 1/8	0.32	24
SB1204-6	11 5/8	6 5/8	4	10 1/4	5 5/8	0.40	12
SB1204-8	11 5/8	8 3/8	4	10 1/4	7 1/4	0.50	12
18" Shelf Bins							
SB1804-4	17 7/8	4 1/8	4	16 1/2	3 1/8	0.44	24
SB1804-7	17 7/8	6 5/8	4	16 1/2	5 5/8	0.58	12

Available Stocked Material: ● XL Conductive



ESD-Safe Trays offer long life in plants, workstations and tool rooms.




ESD-Safe Part Bins

Container Model	Outside Dimensions (in)			Inside Dimensions (in)		Hopper Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (in)		Solid Covers
	L	W	H	L	W				W	H	
PB10-FXL	3.5	4.0	2.0	3.0	3.4	1.1	0.2	24	3.0	0.8	CPB10*
PB10x-XL (with divider)	3.5	4.0	2.0	3.0	3.4	1.1	0.3	24	3.0	0.8	CPB10*
PB20-FXL	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB20x-XL (with divider)	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB22-FXL	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB22x-XL (with divider)	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB30-FXL	9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0	CPB30*
PB30x-XL (with divider)	9.5	5.8	5.0	8.4	5.0	2.6	0.8	12	3.0	1.0	CPB30*
PB31-FXL	9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0	N/A
PB31x-XL (with divider)	9.3	8.8	5.0	8.4	8.0	2.5	1.1	8	3.0	1.0	N/A
PB40-FXL	12.8	8.1	6.0	11.8	7.1	3.1	1.5	12	3.0	1.0	N/A
PB41-FXL	12.8	11.4	6.0	11.8	10.5	3.1	1.6	12	3.0	1.0	N/A
PB41x-XL (with divider)	12.8	11.4	6.0	11.8	10.5	3.1	1.9	12	3.0	1.0	N/A
PB50-FXL	18.5	11.6	7.1	17.1	10.8	3.8	2.4	6	3.0	1.0	N/A

Available Stocked Material: ● XL Conductive

* Available on a make-to-order basis.

Note: Other ESD-safe materials available on a make-to-order basis. Please call for information.



CPB20-XL

ESD-SAFE SHELF BINS

- Designed to work with 12" and 18" shelving to enhance inventory control and part organization
- Bins nest when empty to save space
- Built-in hang lock allows bin to tilt out for full part accessibility. Hopper front optimizes part accessibility
- Large flat area for adhesive identification and bar code scanning (See pg. 39)
- Each bin can accommodate up to 3 dividers
- Optional conductive dividers slide in easily and lock securely to eliminate part migration



DC2035-XL (2)
with CH10LS
Cardholder



DC2025-XL (2)
on DC2060-XL
with CH10LS
Cardholder



DC1035-XL (2)

ESD-SAFE DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications.

ESD-SAFE DIVIDER BOXES

- Strong stacking ridge and innovative ribbed walls ensures high performance
- Compatible with many kinds of racking, shelving and material handling equipment
- Anti-static cardholders available for ESD-Safe identification (See pg. 39.)
- Load capacity of 40 lbs. per container
- Two optional ESD-Safe Divider Box Covers are available for added product protection

ESD-Safe Divider Box Containers

Model	Outside Dimensions L x W (in)		Inside Dimensions L x W (in)		Container Height (in)	Product Clearance (in) (with Snap- On Cover)	Weight (lb)	Volume (cu ft)	Compatible Cardholder	Carton Quantity	Full Height Short Divider	Full Height Long Divider	
	Top	Bottom	Top	Bottom									
1000 Series	DC1025-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	CH30LS	24	DV0825 XL	DV1025 XL
	DC1035-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.7	0.11	CH20LS	16	DV0835 XL	DV1035 XL
	DC1050-XL	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.9	0.16	CH10LS	16	DV0850 XL	DV1050 XL
2000 Series	DC2025-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	1.0	0.16	CH30LS	12	DV1025 XL	DV1625 XL
	DC2035-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	CH20LS	8	DV1035 XL	DV1635 XL
	DC2050-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	CH10LS	8	DV1050 XL	DV1650 XL
	DC2060-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.6	0.43	CH10LS	8	DV1060 XL	DV1660 XL
	DC2070-XL	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.9	0.51	CH10LS	6	DV1070 XL	DV1670 XL
	DC2080-XL	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	CH10LS	6	DV1080 XL	DV1680 XL
3000 Series	DC3050-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.8	0.79	CH10LS	4	DV1750 XL	DV2250 XL
	DC3060-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	3.0	0.97	CH10LS	4	DV1760 XL	DV2260 XL
	DC3080-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	4.0	1.32	CH10LS	4	DV1780 XL	DV2280 XL
	DC3120-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	12.0	11.9	6.0	2.00	CH10LS	3	DV17120 XL	DV22120 XL

Available Stocked Material: ● XL Conductive

ESD-Safe Snap-On Cardholders

Model	Size L x W (in)	# of Snaps	Container Compatibility
CH10LS	7.75 x 4.25	2	DC1050, DC2050, DC2060, DC2070, DC2080, DC3050, DC3060, DC3080, DC3120
CH20LS	6.50 x 2.25	2	DC1035, DC2035
CH30LS	6.50 x 1.81	2	DC1025, DC2025

ESD-Safe Divider Box Covers

Fits Container	Cover Style	Cover Model	Weight (lb.)
DC1000 Series	Insert	CDC1000-XL	0.3
	Heavy-Duty Solid	CDC1040-XL	0.3
DC2000 Series	Insert	CDC2000-XL	0.5
	Heavy-Duty Solid	CDC2040-XL	0.6
DC3000 Series	Insert	CDC3000-XL	1.0
	Heavy-Duty Solid	CDC3040-XL	1.4

Available Stocked Material: ● XL Conductive

ESD-Safe Dollies

Model	Inside Dimensions (in)	Container Compatibility	Weight (lb)
DDC3000-CON	21.19 x 16.25	3000 Series	12.6 lbs

Available Stocked Color: ● XL Conductive
Weight capacity: 840 lbs.
Includes drag chain.



ESD-SAFE DIVIDER BOX DIVIDERS

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into

Divider Box Dividers												
Container Model	Divider Type	Maximum # of Dividers**	Vertical Divider Height (XL denotes conductive)									
			1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"	
DC1000 Series	DC1025-XL	Short	7	DV0825								
		Long	5	DV1025								
	DC1035-XL	Short	7	DV0825	DV0835							
		Long	5	DV1025	DV1035							
	DC1050-XL	Short	7	DV0825	DV0835			DV0850				
		Long	5	DV1025	DV1035			DV1050				
DC2000 Series	DC2025-XL	Short	11	DV1025								
		Long	7	DV1625								
	DC2035-XL	Short	11	DV1025	DV1035							
		Long	7	DV1625	DV1635							
	DC2050-XL	Short	11	DV1025	DV1035			DV1050				
		Long	7	DV1625	DV1635			DV1650				
	DC2060-XL	Short	11	DV1025	DV1035			DV1050	DV1060			
		Long	7	DV1625	DV1635			DV1650	DV1660			
	DC2070-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
DC2080-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080		
	Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680		
DC3000 Series	DC3050-XL	Short	15			DV1735		DV1750				
		Long	11			DV2235		DV2250				
	DC3060-XL	Short	15			DV1735		DV1750	DV1760			
		Long	11			DV2235		DV2250	DV2260			
	DC3080-XL	Short	15			DV1735		DV1750	DV1760		DV1780	
		Long	11			DV2235		DV2250	DV2260		DV2280	
DC3120-XL	Short	15			DV1735		DV1750	DV1760		DV1780	DV17120	
	Long	11			DV2235		DV2250	DV2260		DV2280	DV22120	

Available Stocked Material: ● XL Conductive

** Please order dividers separately.

Black = Partial Height Dividers
Purple = Full Height Dividers

ESD Safe Horizontal Dividers

Model	Fits Divider Box
DH1000-XL*	DC1025, DC1035, DC1050
DH2000-XL*	DC2025, DC2035, DC2050, DC2060, DC2070, DC2080
DH3000-XL*	DC3050, DC3060, DC3080, DC3120

* Available on a make-to-order basis. Please call for more information.




Utilize **Horizontal Dividers** to increase available space for smaller size items by horizontally dividing containers.

Move and protect your product with Dollies and Covers!




XL INSERT COVER

DC1000 Divider Layout



of Divider Slots on Short Side: 5
of Divider Slots on Long Side: 7
Divider compartments are 1.125" square.

DC2000 Divider Layout



of Divider Slots on Short Side: 7
of Divider Slots on Long Side: 11
Divider compartments are 1.125" square.

DC3000 Divider Layout



of Divider Slots on Short Side: 11
of Divider Slots on Long Side: 15
Divider compartments are 1.125" square.



HEAVY DUTY XL SOLID COVER

ESD-SAFE METAL SYSTEMS

Protect valuable contents from costly electrostatic discharge (ESD) and static electricity. Utilize LEWISBins+ ESD-Safe Metal Storage Systems to meet your work-in-process requirements.

LP1818-CON shown with PB20-XL



LP1836-CON shown with PB30-XL



LP1236-CON shown with PB20-XL



ESD-Safe Wall Mounted Systems

Model	Dimensions (in)		Quantity of Each Conductive Bins to Fill Louvered Panel (Across x Down)					Load Capacity (lbs)
	H	L	PB10(x)	PB20(x)	PB22(x)	PB30(x)	PB31(x)	
LP1818-CON	18.0	18.0	16 (4x4)	16 (4x4)	8 (2x4)	9 (3x3)	6 (2x3)	160
LP1236-CON	12.0	36.0	24 (8x3)	24 (8x3)	12 (3x4)	12 (2x6)	8 (4x2)	160
LP1836-CON	18.0	36.0	32 (8x4)	32 (8x4)	16 (4x4)	18 (6x3)	12 (4x3)	160

Available Stocked Material: ● XL Conductive

Note: Please order bins separately. Assembly required.

LPA1836-CON shown with PB30-XL



LPA1236-CON shown with PB20-XL



ESD-Safe Bench Assemblies

Model	Dimensions (in)		Quantity of Each Conductive Bins to Fill Louvered Panel (Across x Down)					Load Capacity (lbs)
	H	L	PB10(x)	PB20(x)	PB22(x)	PB30(x)	PB31(x)	
LPA1818-CON	18.0	18.0	16 (4x4)	16 (4x4)	8 (2x4)	9 (3x3)	6 (2x3)	130
LPA1236-CON	12.0	36.0	24 (8x3)	24 (8x3)	12 (3x4)	12 (2x6)	8 (4x2)	100
LPA1836-CON	18.0	36.0	32 (8x4)	32 (8x4)	16 (4x4)	18 (6x3)	12 (4x3)	130

Available Stocked Material: ● XL Conductive


Note: Please order bins separately. Assembly required.

LPA1818-CON shown with PB20-XL





Louvered Panel LPFS2-CON shown with PB30-XL




Louvered Panel LPFS2-CON shown with PB30-XL and MK4000-CON (mobile kit)



Rail FS116-CON shown with PB30-XL



Rail FS216-CON shown with PB30-XL



Rail FS216-CON shown with PB30-XL and MK4000-CON (mobile kit)

Combine ESD-Safe Part Bins with Conductive Floor Stands to increase storage efficiency.

ESD-SAFE LOUVERED PANEL FLOOR STANDS

- Manufactured from 16-gauge steel
- Finished in a durable black permanently conductive coating.
- Two-sided racks easily convert to a mobile unit with the addition of the mobile kit. (MK4000-CON).
- Stationary racks can be fastened securely to the floor for additional stability.
- Proper grounding is recommended

ESD-Safe Rail Floor Stands

Model	Description	Dimensions (in)		Quantity of Each Conductive Bin to Fill Floor Stand					Load Capacity Without Mobile Kit (lb)	Load Capacity With Mobile Kit (lb)
		H	L	PB20(x)	PB30(x)	PB31(x)	PB40	PB41(x)		
Single Sided Rail Floor Stands										
FS112-CON	1-sided, 12 rails	54.0	36.0	96	-	-	-	-	600	-
FS116-CON	1-sided, 16 rails	54.0	36.0	-	48	24	32	24	600	-
Double Sided Rail Floor Stands										
FS212-CON	2-sided, 12 rails	54.0	36.0	192	-	-	-	-	1200	500
FS216-CON	2-sided, 16 rails	54.0	36.0	-	96	48	64	48	1200	500

Mobile Kit

MK4000-CON 4" casters, braces, handle and drag chain

Fits models FS212-CON and FS216-CON

Available Stocked Material: ● XL Conductive

Note: Please order bins separately. Assembly required.

ESD-Safe Louvered Panel Floor Stands

Model	Description	Dimensions (in)		Quantity of Each Conductive Bin to Fill Floor Stand						Load Capacity Without Mobile Kit (lb)	Load Capacity With Mobile Kit (lb)
		H	L	PB20(x)	PB22(x)	PB30(x)	PB31(x)	PB40	PB41(x)		
LPFS1-CON	1-sided, 288 slots	54.0	36.0	96	48	48	32	24	18	800	-
LPFS2-CON	2-sided, 576 slots	54.0	36.0	192	96	96	64	48	36	1600	500

Mobile Kit

MK4000-CON 4" casters, braces, handle & drag chain

Fits model LPFS2-CON

Available Stocked Material: ● XL Conductive

Note: Please order bins separately. Assembly required.

PRODUCTION OPTIONS & ACCESSORIES

A variety of options and accessories are available for LEWISBins+ products to increase efficiency and flexibility in your material handling system. These are not applicable for all products. Please contact your sales representative for details on availability, minimum order quantities, lead times and additional charges.



Loose Letter Hot Stamp Identification allows for 1" capital letters in a pre-defined area on the container.




Sequential Numbering Hot Stamp Identification is available with each character limited to a 1/2" height. Five characters per line may be utilized.



Customized Hot Stamp is available if the number of letters exceeds the available space with other identification options.



Container Grommets facilitate the use of security ties and various hang tags. A pre-determined area is available on certain products for the installation of the grommet.



Security Ties slip into factory installed security tie holes in the container and cover for fast, efficient locking of covers. The plastic tie is easily removed by cutting, with no damage to container or cover.

PLEXTON IDENTIFICATION OPTIONS



Screen Printing allows for custom messages and logos. Original artwork must be supplied at the time of order. The requirements for the area and location for the screen printing area vary for each Plecton product.

Snap-On Cardholders are envelope style and available with one or two snaps. All have a clear window with solid back. ESD-Safe Cardholders (CH10LS, CH20LS, and CH30LS) are produced in clear anti-static pink material.



CH10 2-Snap



CH14 2-Snap



CH20 2-Snap



CH30 2-Snap



CH10-LS 2-Snap



CH20-LS 2-Snap



CH30-LS 2-Snap

Adhesive Cardholders are envelope style and affix quickly and easily to the container. All have a clear window with solid back.



CH10 Adhesive



CH14 Adhesive



CH16 Adhesive



CH73-NFV2 Adhesive



Label Placard is a permanent label holder that allows for easy application and removal of single-use labels with no sticky residue or messy overlapping, keeping containers neat and clean.

Cardholders

Cardholder	Outside Dimensions L x H (in)	Insertion	Style
CH10/CH10LS (ESD Safe)	7.75 x 4.25	Side	2-Snap, Adhesive
CH14	4.25 x 3.50	Top	2-Snap, Adhesive
CH20/CH20LS (ESD Safe)	6.50 x 2.25	Side	2-Snap
CH30/CH30LS (ESD Safe)	6.50 x 1.81	Side	2-Snap
CH16	7.00 x 4.25	Top	Notched Adhesive
CH73-NFV2	3.30 x 7.80	Side	Adhesive
Placard, Label 4.5"x6.5"	6.50 x 4.50	N/A	Adhesive

SHIP-FROM-STOCK PROGRAM

Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly. Selected products, indicated with an asterisk (*), are manufactured on a make-to-order basis and are subject to minimum order quantities and set-up charges.

MODEL	PRODUCT TYPE	PAGE	ESD-SAFE PAGE	MODEL	PRODUCT TYPE	PAGE	ESD-SAFE PAGE
AFxxxx-x	Ventilated Stack-N-Nest Containers	10		NPLxxx	Environmental Products	17	
Bin Dolly	Environmental Products - Accessories	30		NPL251	Heavy-Duty Stack and Carry	6, 30	
CABxx-x	Metal Cabinets - Metal Storage Systems	25-26		NPL252	Heavy Duty Hopper	6, 30	
CDCxxxx	Cover - Divider Box	13, 36		NPL654B	Ventilated Stack-N-Nest Container	10	
CHxx	Cardholder - Accessories	13, 36		PBxx	Part Bins - Plastibox	5	33
CNDC2020	Cover - Divider Box	13		PBxxx	Part Bins - Plastibox with Divider	5	33
CNOxxx-x	Cover - Nest Only - Plexton® (also used as a tray)	17,18		PBxx-x	Part Bins - LEWISBins	3	
CNOxxxx-x	Cover - Nest-Only Containers	8		RA248-AST	Steel Rail - Metal Storage Systems	21	
CSNxxxx-1	Cover - Plexton (also used as a tray)	16,17		RNOxxxx-xx	Nest-Only Containers	8	
CSNxxxx-1	Cover - Polylewton®	9		RCNOxxxx-x	Cover - Nest-Only Containers	8	
DAFxxxx	Dolly - Ventilated Stack-N-Nest - Stainless Steel	10		SBxxxx-x	Shelf Bins	1, 2	34
DCxxx	Divider Box	11,12	35	SHxxxx-x	Hopper - Plexton	6, 17	
DDCxxx	Dolly - Divider Box	13	36	SH2409-9	Heavy-Duty Shelf Bin	6	
DLSBxx-x	Divider - Length - Shelf Bin	2		SN1610-5	Stack-N-Nest - Plexton	15-16	
DNPL654	Dolly - Ventilated Stack-N-Nest - Stainless Steel	10		SN18xx-x	Stack-N-Nest - Plexton	15-16	
DOCxxxx-1	Dolly - Plexton	16		SN2010-x	Stack-N-Nest - Plexton	15-16	
DPBx-x	Divider - LEWISBins™	4		SN2012-6	Stack-N-Nest - Polylewton	9-10	
DSNxxxx	Dolly - Stack-N-Nest® - Polylewton®	10		SN2013-12	Stack-N-Nest - Polylewton	9-10	
DVxxx	Dividers - Vertical - Divider Box	12	35	SN2117-12	Stack-N-Nest - Polylewton	9-10	
DVSBxx-x	Dividers - Width - Shelf Bin	1, 2		SN22xx-xx	Stack-N-Nest - Plexton	15-16	
FPxxx	Attached Lid Containers - Flipaks®	7-8		SN2414-8	Stack-N-Nest - Polylewton	9-10	
FSxxx	Rail Floor Stand - Metal Storage Systems	23	38	SN2419-14	Stack-N-Nest - Plexton	15-16	
GFRxx-xxx	Metal Storage Systems	5		SN2420-13	Stack-N-Nest - Polylewton	9-10	
HBxxx-x	Hopper - Plexton	6, 17		SN2618-10	Stack-N-Nest - Polylewton	9-10	
HRxxx	Container Racks - Plexton	28		SN27xx-xx	Stack-N-Nest - Plexton	15-16	
LPAxxxx	Bench Assembly - Metal Storage Systems	22	37	SN2818-10	Stack-N-Nest - Polylewton	9-10	
LPFSxx	Louvered Panel Floor Stand - Metal Storage Systems	24	38	SN3022-6	Stack-N-Nest - Polylewton	9-10	
LPxxxx	Wall Mounted Louvered Panel - Metal Storage Systems	21	37	SN3023-8	Stack-N-Nest - Plexton	15-16	
M1836	Shelf Unit	19		SN3024-15	Stack-N-Nest - Polylewton	9-10	
M2436-6	Shelf Unit	19		SN3919-14	Stack-N-Nest - Plexton	15-16	
MC3624-12	Bin Carts - Metal Storage Systems	27		SOxxxx-x	Stack Only Container - Plexton	7	
MCPBxxx-x-xx	Bin Carts - Metal Storage Systems	27		TRxxx-x	Tray - Plexton	17	34
MK4000	Mobile Kit	23, 24	38	UDBxxxx-x	Unit Dose Bins - Shelf Bin	5	
NBS2415-12	Heavy-Duty Shelf Bin with Bail	6, 10		WCABxxxx	Wall-Mounted Bin Cabinets - Metal Storage Systems	27	
NDCxxxx	Divider Box	11, 12					
NOxxxx-x	Nest Only Container - Plexton	18					
NO2415-12	Heavy-Duty Shelf Bin without Bail	6, 10					



All specifications are approximate and subject to change without notice.



Look inside to discover these and other quality LEWISBins+ products:



DIVIDER BOXES



POLYLEWTON® STACK-N-NEST BINS



SHELF BINS/PART BINS



Industrial Ergonomics

612-532-6774

jeff@Industrial-Ergonomics.com

